

Prepared for:

**Wyatt Purp**

1220-G Airport Freeway #561  
Bedford, TX USA 76022

## Grape Frosty A1

Batch ID or Lot Number: <b>WPF-GFA1-0001</b>	Test: <b>Potency</b>	Reported: <b>23Sep2022</b>	USDA License: N/A
Matrix: Plant	Test ID: T000222116	Started: 23Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 22Sep2022	Status: N/A

## Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.018	0.059	ND	ND	
Cannabichromenic Acid (CBCA)	0.016	0.054	0.360	3.60	
Cannabidiol (CBD)	0.056	0.161	ND	ND	
Cannabidiolic Acid (CBDA)	0.058	0.165	ND	ND	
Cannabidivarin (CBDV)	0.013	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.024	0.069	ND	ND	
Cannabigerol (CBG)	0.010	0.034	0.100	1.00	
Cannabigerolic Acid (CBGA)	0.042	0.140	0.390	3.90	
Cannabinol (CBN)	0.013	0.044	ND	ND	
Cannabinolic Acid (CBNA)	0.029	0.096	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.050	0.167	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.045	0.152	0.170	1.70	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.040	0.134	18.590	185.90	
Tetrahydrocannabivarin (THCV)	0.009	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.036	0.119	0.160	1.60	
<b>Total Cannabinoids</b>			<b>19.770</b>	<b>197.70</b>	
Total Potential THC			16.473	164.73	
Total Potential CBD			ND	ND	

## Final Approval



Karen Winternheimer  
23Sep2022  
04:50:00 PM MDT

PREPARED BY / DATE



Sam Smith  
23Sep2022  
04:53:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/da1f771c-40d8-4a31-9030-a311fc8d8204>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
da1f771c40d84a319030a311fc8d8204.1